8K/HDMIOptical Fiber HDMI Cable

100m long distance lossless transmission



8K

ULTRA HD

144Hz

High refresh rate

VRR

Variable refresh rate

48Gbps

High bandwidth

HDR

Dynamic display

BT.2020

UHD blue light

eARC


Audio backhaul

DOLBY

Dolby sound

100m Long Distance Lossless Transmission

Optoelectronic conversion modules are used at both ends to realize mutual conversion of optical signal and electrical signal





Optical Fiber Era

- Signal conversion, no compression
- Light speed transmission without delay
- No electromagnetic interference
- Long distance transmission, no attenuation
- Low power consumption
- No radiation




8K Ultra HD

Full length support 4K @ 120Hz, 8K @ 60Hz HD resolution Support VRR game mode to reduce lag/crack



48Gbps High Bandwidth

Compliant with HDMI protocol standard



10.2Gbps

18Gbps

48Gbps



5.1 / 7.1 channel

Dolby Atmos
Panoramic sound

Lossless full format Sound quality



ALLM Automatic Low Latency Mode

Automatically set ideal delay for smooth viewing and interactive experience



FRL New Core Technology

FRL fixed-rate links replace TMDS technology to ensure stable transmission


Reduce signal loss rate

Improve picture clarity



Connection Diagram

Optical fiber cable unidirectional transmission, does not support reverse use, please confirm the direction before use



4 Optical Fiber Stable Transmission

Adopt 4-core fiber, support 100m transmission, no need to worry about signal interference when use




Zinc Alloy Shell

Hardness is 65-140N, tensile strength is 260-440N much higher than aluminum alloy



Gold-plated Interface

Anti-oxidation /durable in swapping



Light and Flexible

Wire diameter is only 4.5mm
15m weighs only 350 grams
100N allows tensile force
200N crushing force
easy to construct cabling

Note: All data are from Vention Lab.

Product Parameters

Brand: Vention Shell: Zinc Alloy

Name: Optical Fiber HDMI Cable Chip: Optoelectronic Conversion Chips

Model: AAZ Shielding: Aluminum Foil

Color: Black Jacket: PVC

Interface: HDMI Male AWG: 30AWG + 28AWG + 26AWG

Interface Technics: Gold-plated OD: 4.5mm

Resolution: 1080P@160Hz/2K@144Hz/4K@120Hz/8K@60Hz

Resolution: 4K@120Hz~8K@60Hz Length: 1.5-100m

Transmission Speed: 48Gbps Warranty: 1 Year

Conductor: Tinned Copper + Optical Fiber Packing: Color Box (1.5-40m)

/ Gift Box (50-100m)





Note:All data are from Vention Lab.
Sizes above are manually measured. There might be slight tolerance.