


Upgraded HDMI 2.1 Extreme Performance

Version	2.1	2.0
Picture quality	3D vision 7680*4320 pixels 1080P@160Hz, 2K@144Hz, 4K@120Hz, 8K@60Hz Static HDR Dynamic HDR Variable Refresh Rate (VRR) Quick Media Switching (QMS) Automatic Low Latency Mode (ALLM)	3D vision 3840*2160 pixels 4K@60Hz Static HDR
Sound quality	Multiple audio streams 32 audio channels Auto-synchronization of audio and video 1536KHz audio sampling rate Enhanced Audio Return Channel (eARC)	Multiple audio streams 32 audio channels Auto-synchronization of audio and video 1536KHz audio sampling rate
Rate	48Gbps max brandwidth Quick Frame Transfer (QFT)	18Gbps max brandwidth





Dynamic HDR True Natural Contrast Ever

Real HDR to sharpen every detail. And get a wonderful vision with color gamut of 12Bit













Note: Packing differs on lengths and batches, please take the actual packing as the standard.







General Compatibility

Works with all HDMI standard cables and any HDMI-enabled devices.



Smooth and reliable transmission

Aluminum foil shielding layer and tinned copper copper wire greatly reduce signal interference and improve durability



Reliable Connection

PVC jacket enables the cable to be repeatedly bent, plugged and unplugged without breaking





Superior Audiovisual Effect

The cable supports transmission of ultra HD4K videos



Suitable for various application scenarios

