










3840*2160 UHD. To show more details



To Minimize Signal Attenuation

Multiple strucutre for better shielding and fluent transmission




Audio and Video Synchronization

Brings you a home theater. And you don't even need an additional audio cable to the speaker



Wide Compatabilty



Better Performance of HDMI 2.0


	HDMI2.0	HDMI1.4
Vision	4K@60Hz supported21:9 supportedAudio-to-video sync	4K@30Hz 16:9 supported
Audio	 Multiple audio streams supported 32 audio channels 1536KHz sampling rate 	8 audio channels
Bandwidth	➤ 18Gbps	10.2Gbps

Note: All data are from Vention Lab

AWG - Length Comparison

Input


24AWG HDMI cable supports 0.5-15m 26AWG HDMI cable supports 0.5-12m 28AWG HDMI cable supports 0.5-8m



Output

24AWG HDMI cable supports 0.5-5m 26AWG HDMI cable supports 0.5-3m 28AWG HDMI cable supports 0.5-2m






Note: All data are from Vention Lab



Stable signal transmission with resistance to abrasion, oxidation and rustiness





Product Parameter

Brand: Vention

Name: HDMI Female to Female Coupler Adapter

Model: AIRBO/AIRBO-2

Color: Black

Interface: HDMI Female

Interface Technics: Gold-plated

Resolution: 4K@60HZ

Transmission Direction: HDMI Female to HDMI Female

Shell: PVC

Warranty: 1 Year

Packing: PE Bag



Note:All data are from Vention Lab. Sizes above are manually measured. There might be slight tolerance





PE Bag (1 PC)

PE Bag (2 PCS)

Note: Packing difference exists for different meters or batches. The photo is for reference only

Length	Art.No.	EAN Code
-	AIRB0	6922794747951



Package Contents

HDMI Female to Female Coupler Adapter Black

Packaging Information

Packing Dimension cm Packing Weight kg

Carton Dimension 48*29*30cm (0.5m)

Carton Qty 500pcs
Carton Weight 8.5kg
Package PE bag

www.ventioncable.com