



8K HDMI Female to Female Coupler

Stable signal transmission
Ideal for long-distance extension purposes.



Resolution
up to
8K@60Hz

48Gbps
Bandwidth

Gold-Plated
Contacts

Durable
Aluminum
Alloy Shell


Ideal for Extend Your HDMI Cables

HDMI 2.1 female to female adapter is ideal as a cost-saving way to create a long HDMI cable with two short cables.




Stable Signal Transmission

Delicate design realizes long-distance transmission without signal compression.



Gold-Plated Interface Enhanced Durability

Gold-plated connector prevents corrosion oxidation and rust, offers you a longer lifespan.




Upgraded HDMI 2.1

It conforms to the standard HDMI 2.1 version. It is also backward compatible with HDMI 2.0/1.4/1.3/1.2/1.1 versions.

	Version 2.1	Version 2.0
Video features	3D video Resolution up to 8K, 7680*4320 Supports 1080P@160Hz 2K@144Hz, 4K@120Hz 8K@60Hz Static HDR Dynamic HDR Variable Refresh Rate (VRR) Quick Media Switching (QMS) Auto Low Latency Mode (ALLM)	3D video Resolution up to 4K 3840*2160 Supports 4K@60Hz Static HDR --- --- --- ---
Audio features	Multichannel audio output Supports up to 32 audio channels Audio & Video in sync 1536kHz audio sampling rate eARC (Enhanced Audio Return Channel)	Multichannel audio output Supports up to 32 audio channels Audio & Video in sync 1536kHz audio sampling rate --- ---
Transmission speed	48Gbps Bandwidth Quick Frame Transport (QFT)	18Gbps Bandwidth ---

Note: All data are from Vention Lab.



Note: All data are from Vention Lab.
Sizes above are manually measured. There might be slight tolerance.

Resolution up to 8K@60Hz

The experience brought by 8K picture quality (7,680×4,320@60Hz) is more advanced than 4K. It accurately and clearly displays every signal source.



Note: The resolution and refresh rate are determined by the cable and performance of your devices. If you intend to display 8K content, please make sure that your HDMI cables, input and output devices can support 8K and the cable length within 3 meters.

Durable Aluminum Alloy Shell

Upgraded shell material for enhanced ability of good heat dissipation wear resistance and anti-scratch.



48Gbps Bandwidth

48Gbps bandwidth enables a stable signal transmission. No more flicker and tearing. Let you to obtain a smoother and detailed picture.



Note

The resolution and refresh rate are determined by the cable and performance of your devices. If you intend to display 8K content, please make sure that your HDMI cables input and output devices can support 8K and the cable length within 3 meters.

(HDMI 2.1 cables Not included, purchased separately on Vention Store)

Audio & Video in Sync

To enjoy an immersive viewing experience at home.




Product Parameters

Brand	Vention
Name	HDMI Female to Female Coupler
Model	AIU
Version	2.1 (backward compatible with HDMI 2.0/1.4 versions)
Electroplating Process	Gold-Plated
Resolution	8K@60Hz/4K@120Hz/2K@144Hz
Transmission Speed	48Gbps
Transmission Direction	HDMI Female to HDMI Female
Shell	Aluminum Alloy
Shielding	Nickel-Plated
Warranty	1 Year
Packing	PE Bag

Fit Tight Firm Connection

With a standard interface, it ensures stable connection and eliminates data loss.



Standard HDMI



14mm Wide
4.5 mm Thick



Mini HDMI



10.5mm Wide
2.5mm Thick



Micro HDMI




6mm Wide
2.3mm Thick



Universal Compatibility



Source Device



Set-top box



Laptop




PS3/4/5

...

Display Device



HDTV



Monitor



Projector.

...