

HDMI Female to Female Repeater Aluminum Alloy Type



4K High Definition Electrostatic Discharge Protection

Driver-Free Plug and Play

Aluminum Alloy Shell

Extend Your HDMI Cables with Ease

Long-distance transmission solution.



The supported distance varies with resolution.

Resolution	4K@60Hz	4K@30Hz	1080P@60Hz
HDMI Cable Length	Input Display 1-12 m 1-3 m	Input Display 1-20 m 1-10 m	Input Display 1-20 m 1-20 m
HDMI Cable AWG	26AWG 30AWG	24AWG 28AWG	24AWG 24AWG
Transmission Distance	2-15 m	2-30 m	2-40 m

Note: All data are from Vention lab. Actual results may vary depending on devices, wiring, etc. Please refer to the actual situation.


4K@60Hz UHD

Support HDMI2.0, enjoying the visual feast.

4K@60Hz 3D

Resolution

Visual Effects





18Gbps High-Speed Transmission


Deliver clear and smooth display of high dynamic range visuals.











Driver-Free Plug and Play

Operation is simple without the need for software installation.



Normal HDMI

Approx Width

14_{mm}

Approx Thickness

4.5mm





Mini HDMI

Approx Width

10.5_{mm}

Approx Thickness

2.5_{mm}





Micro HDMI

Approx Width

6_{mm}

Approx Thickness

2.3mm



Craftsmanship Excellence










Connection Illustration



Specifications

Brand	Vention
Name	HDMI Female to Female Repeater
	Gray Aluminum Alloy Type
Model	AIW
Electroplating Process	Gold-Plated
Resolution	4K@60Hz/4K@30Hz/1080P@60Hz
Transmission Direction	Uni-Directional Transmission
Shell	Aluminum Alloy
Warranty	1 Year
Packing	Color Box



Note: All data are from Vention Lab. Sizes above are manually measured. There might be slight tolerance.

Packaging Display



Note: Packing difference exists for different meters or batches. The photo is for reference only.