


ASUS®

BE24ECSBT Series LCD Monitor



HDMI™
HIGH-DEFINITION MULTIMEDIA INTERFACE

3.2 Specifications summary

Panel Type	TFT LCD 23.8" (16:9, 60.47 cm) wide screen
Panel size	1920 x 1080
Max. Resolution	0.2745 mm x 0.2745 mm
Pixel pitch	300 cd/m2
Brightness (Typ.)	1000:1
Contrast Ratio (Typ.)	100,000,000:1 (with ASCR on)
Contrast Ratio (Max.)	178°/178°
Viewing angle (H/V) CR>10	16.7 M
Display colors	< 5 ms
Response time	Yes
Splendid Video Enhancement	8 video preset modes
Splendid selection	4 color temperatures
Color temperature selection	DisplayPort v1.4, HDMI v1.4, DisplayPort over USB
Signal input	Type C DisplayPort v1.4 Yes Yes (DisplayPort, HDMI, USB Type-C) 2 W x 2 Stereo, RMS 1 x
Signal Output	USB 3.2 Gen 1 Type-C,
Earphone jack	3 x USB 3.2 Gen 1 Type-A
Audio input	No
Speaker (Built-in)	Black
USB 3.2 Gen 1 port	White (On)/Amber (Standby)
Ethernet port	+35° ~ -5°
Colors	+90° ~ -90°
Power LED	+180° ~ -180°
Tilt	130 mm
Pivot	Yes
Swivel	AC: 100~240V
Height Adjustment	Power On: < 17.7 W** (Typ.), Standby: < 0.5 W (Typ.); Power Off: 0 W (Switch off) 0°C~40°C
Kensington lock	-20°C~+60°C
AC input voltage	539.7 x 329.9 x 52.8 mm
Power consumption	
Temperature (Operating)	
Temperature (Non-operating)	
Dimension (W x H x D) with stand	
Dimension (W x H x D) with stand	539.7 x 459.4 x 211.4 mm (highest), 539.7 x 329.4 x 211.4 mm (lowest), 746.0 x 440.0 x 170.0 mm (package)
Weight (Esti.)	6.1 kg (Net); 4.1 kg (Without stand); 8.3 kg (Gross)

Multi-languages	22 languages (English, French, German, Italian, Spanish, Dutch, Portuguese, Russian, Czech, Croatian, Polish, Romanian, Hungarian, Turkish, Simplified Chinese, Traditional Chinese, Japanese, Korean, Thai, Indonesian, Persian, Ukrainian)
Accessories	Quick start guide, warranty card, power cord, HDMI cable (optional), DisplayPort cable (optional), USB C to A cable (optional), USB C to C cable (optional), MiniPC Kit (optional)
Compliance and Standards	UL/cUL, CB, CE, ErP, EU Energy label, FCC, ICES-3, CCC, CEL, ISO9241-307, TUV-GS, TUV-ERGO, BSMI, CU, C-Tick, MEPS, VCCI, PSE, J-MOSS, KC, KCC, e-Standby, RoHS, Windows 10&11 WHQL, Energy Star 8.0, EPEAT Silver, TCO9.0, Flicker Free, Low Blue Light, WEEE, NFPA 99, CECP

***Specifications are subject to change without notice.**

****Measuring a screen brightness of 300 nits without audio/USB/Card reader connection.**