



FOR THOSE WHO DARE
JOIN THE REPUBLIC OF GAMERS
THE WORLD'S MOST DARING GAMERS
ROG
strix XG32WCS

ASUS

Specifications

Panel type	FAST VA 31.5"(1500R) 2560 x 1440
Panel size	350nits (typical) / 400nits (peak) 3500:1 (typ.) 178°
Max. resolution	(H) / 178°(V) 1.07B (8-bit+FRC)
Brightness	1ms 8 modes
Contrast ratio	(4000K/5000K/6500K/7500K/8200K/
Viewing angle (H/V)	9300K/10000K/User mode)
Display colors	No
Response time	DisplayPort v1.4 x1, HDMI v2.0 x1, USB Type-C x1
Color temperature selection	Yes
Analog input	No
Digital input	No
Earphone jack	No
SPDIF out	No
Speaker (Built-in)	Black
USB3.2 Gen 1 port	White (On) / Orange (Standby)
USB2.0 port	-5° to 20°
Colors	-25° to 25°
Power LED	0 to 110 mm
Tilt	100 x 100 mm
Swivel	Yes
Height adjustment	AC 100-240V, 50/60Hz
VESA wall mount	
Kensington lock	
Voltage rating	
Power consumption	Power On: 130 W** Power saving: < 0.5 W Power Off: < 0.3 W
Temperature (Operating)	0°C to 40°C
Temperature (Non-operating)	-20°C to 60°C
Dimensions (W x H x D)	707.93 x 463.28 x 245.8 mm (with stand, lowest) 707.93 x 573.28 x 245.8 mm (with stand, highest) 707.94 x 425.26 x 108.67 mm (without stand)
Package dimensions (W x H x D)	920 x 562 x 235 mm
Weight	9.4 kg (with stand) 6.1 kg (without stand) 12.2 kg (Gross)

Multi-languages	23 languages (English, French, German, Italian, Spanish, Dutch, Portuguese, Russian, Czech, Croatian, Polish, Romanian, Hungarian, Turkish, Simplified Chinese, Traditional Chinese, Japanese, Korean, Persian, Thai, Indonesian, Ukrainian, Vietnamese)
Accessories	Power cord, Warranty card, QSG, DisplayPort Cable, ROG pouch, ROG sticker
Compliance and Standards	cTUVus, FCC, ICES-3, CB, CE, ErP, WEEE, EU Energy Label, UkrSEPRO, Ukraine Energy, CU, CCC, CEL, BSMI, RCM, MEPS, VCCI, PSE, PC Recycle, J-MOSS, KC, KCC, e-STANDBY, PSB, VN MEPS, RoHS, SIOC, CEC, HDMI, DP, Windows 10/11 WHQL, TÜV-Flicker Free, TÜV-Low Blue Light

***Specifications subject to change without notice.**

**** Measuring a screen brightness of 200 nits without audio/ USB/ card reader connections.**