

E13863



ROG  
SWIFT  
PG38UQ

USER GUIDE

GAMER

ASUS

### 3.3 Specifications

Panel type	LCD
Panel Size	38" W (96.52 cm)
Max. Resolution	3840 x 2160 @ 144Hz
Pixel Pitch	0.219 mm x 0.219 mm
Brightness	350 nits(Typ.)
Contrast Ratio	1000:1(Typ.)
Viewing Angle (H/V)	178°(V) /178°(H)
Display Colors	16.7M
Response Time	1 ms (G TO G )
Color temperature selection	8 color temperatures
Analog input	No
Digital input	HDMI 2.1 x 2, DP 1.4 x 1
Earphone jack	Yes
Speaker (Built-in)	5 W x 2
USB3.2 Port	USB 3.2 Gen 1(Upstream*1/ Downstream*4)
Colors	Black
Tilt	-5° ~ +5°
Swivel	No
Height adjustment	No
VESA wall mount	100 x 100 mm
Kensington lock	Yes
Voltage rating	AC 100-240V, 50/60 Hz
Power consumption	Power On:50 W(*BasedonEnergyStar 8.0 stANDARD) Standby:<0.5 W Power Off:<0.3 W
Temperature (Operating)	0°C ~ 40°C
Temperature (Non-operating)	-20°C ~ +60°C
Dimensions (W x H x D)	861 X 583.9 X 255.4 mm (with stand ) 861 X 522.2 X 47.8 mm(without stand ) 980 x 757 x 188 mm(Package)

Weight (Esti.)	9.04 kg (without stand) 10.23 kg (Net) 15.66 kg (Gross)
Multi-languages	English, French, German, Spanish, Italian, Dutch, Russian, Poland, Czech, Croacia, Hungary, Romania, Portugal, Turkey, Simplified Chinese, Traditional Chinese, Japanese, Korean, Persian, Thai, Indonesian, Ukrainian
Accessories	Monitor Base,Quick Start Guide,Warranty Card,Power Cord,Ultra High Speed HDMI 2.1 Cable,DP Cable,USB Cable (Type A to B),Input/Output port cover w/ L shape screw driver,Color Calibration Testing Report,Remote Control,Battery ,ROG sticker,ROG Pouch,M6 screws 4 pcs for stand,M6 Standoff 4 pcs for VESA mount

\*Specifications subject to change without notice.