


**ASUS®**

**TUF Gaming Monitor  
VG27AQML1A series**



**HDMI™**  
HIGH-DEFINITION MULTIMEDIA INTERFACE

## Specifications summary

<b>Panel Type</b>	TFT LCD 27"W (16:9, 68.5 cm) wide
<b>Panel size</b>	screen 2560 x 1440 0.2331 mm x
<b>Max. Resolution</b>	0.2331 mm 400 cd/m2 1000:1
<b>Pixel pitch</b>	100,000,000:1 (with ASCR on)
<b>Brightness (Typ.)</b>	178°/178° 1.07G 1 ms (Gray to gray) 4
<b>Contrast Ratio (Typ.)</b>	color temperatures No HDMI v2.0 x 2,
<b>Contrast Ratio (Max.)</b>	DisplayPort v1.4 x 1 Yes No 2 W x 2
<b>Viewing angle(H/V) CR&gt;10</b>	Stereo, RMS 1 x USB 3.2 Gen 1
<b>Display colors</b>	Type-B (upstream)
<b>Response time</b>	2 x USB 3.2 Gen 1 Type-A
<b>Color temperature selection</b>	(downstream)
<b>Analog input</b>	Black
<b>Digital input</b>	White (On)/Amber (Standby)
<b>Earphone jack</b>	+20° ~ -5°
<b>Audio input</b>	+90° ~ -90°
<b>Speaker (Built-in)</b>	+20° ~ -20°
<b>USB 3.2 Gen 1 port</b>	130 mm
<b>Colors</b>	100 x 100 mm
<b>Power LED</b>	Yes
<b>Tilt</b>	AC: 100~240V
<b>Pivot</b>	Power On: < 26 W**, Standby: < 0.5
<b>Swivel</b>	W,
<b>Height adjustment</b>	Power Off: < 0.3 W 0°C~40°C
<b>VESA wall mount</b>	-20°C~+60°C
<b>Kensington lock</b>	
<b>Voltage rating</b>	
<b>Power consumption</b>	
<b>Temperature (Operating)</b>	
<b>Temperature (Non-operating)</b>	
<b>Dimensions (W x H x D) without stand</b>	614.9 x 366.5 x 54 mm
<b>Dimensions (W x H x D) with stand</b>	614.9 x 533.9 x 213.8 mm (highest) 614.9 x 403.9 x 213.8 mm (lowest) 815 x 170 x 477 mm (package)
<b>Weight (Esti.)</b>	6.4 kg (Net); 4.1 kg (without stand); 8.8 kg (Gross)

<b>Multi-languages</b>	22 languages (English, French, German, Italian, Spanish, Dutch, Portuguese, Russian, Czech, Croatian, Polish, Romanian, Hungarian, Turkish, Simplified Chinese, Traditional Chinese, Japanese, Korean, Thai, Indonesian, Persian, Ukrainian)
<b>Accessories</b>	Quick start guide, warranty card, power cord, DisplayPort cable (optional), HDMI cable (optional), USB cable (optional), L-shaped screwdriver (optional), 4 screws (optional), 4 rubbers (optional)
<b>Compliance and Standards</b>	cTUVus, FCC, CB, CE, ErP, WEEE, EU Energy label, UkrSEPRO, ICES-3, CCC, China Energy Label, BSMI, RCM, MEPS, VCCI, PC Recycle, J-MOSS, SDoC, KCC, KC, e-Standby, RoHS (RoHS, China RoHS, J-Moss), CEC, HDMI, DP, Windows 10/11 WHQL, Low Blue Light, Flicker Free, VESA HDR400, PSB, Vietnam Energy Efficiency, Energy Star®

**\*Specifications are subject to change without notice.**

**\*\*Measuring a screen brightness of 200 nits without audio/ USB/ Card reader connection.**