



**USB-C to USB 2.0-A Fast Charging Cable**

**5A**

# USB-C Data Cable

Fast charge for devices with USB-C interface

|   |                        |                                  |
|---|------------------------|----------------------------------|
| Fast Charge<br>for Xiaomi/Huawei        | Protect<br>the Battery | Reinforce<br>Protective          |
| Suitable for USB-C<br>interface Devices | Durable in<br>Swapping | Fast Charge<br>Data Transmission |

# Fast Charge for Xiaomi/Huawei

5A (Max) high current,  
support Huawei SCP/Qualcomm QC  
and other fast charge technologies

Note: All data are from Vention Lab.

30 minutes

**64%**

Full of Huawei P40

30 minutes

**74%**

Full of Huawei P30 Pro



# Huawei SCP?

Huawei SCP is Huawei Super Charge Protocol which can provide 40W Super Charge and charge 74% of the battery in 30 minutes




Compatible with all Huawei fast charge

Note: All data are from Vention Lab.



# Protect the Mobile Phone Battery

Multiple protection, charge safer



# With built-in safety resistor protecting your devices



Note: All data are from Vention Lab.

Note: The PCB is a rendering, please refer to the actual product

# Fast Charge Data Transmission

USB2.0 interface, 480Mbps transmission speed

Note: All data are from Vention Lab.





# Suitable for USB-C interface Devices

|  | 10V/4A<br>(40W SCP)  | 4.5V/5A<br>(22.5W SCP)  | 9V/2A<br>(18W SCP)                     |
|--|--|---|--|
| <b>Huawei</b>  | P40 Pro+<br>P40 Pro<br>P30 Pro<br>Mate30 Pro<br>Mate30<br>Mate20 RS Porsche<br>Mate20 Pro<br>Nova7 Pro<br>Nova7 SE<br>Nova7<br>Nova6 SE<br>Nova6<br>Nova5 Pro<br>Nova5 | P40<br>P30<br>Mate20<br>Mate20X<br>Mate20 RS Porsche<br>P20 Pro<br>P20<br>Mate10 pro<br>Mate10<br>Mate10 Porsche<br>MateRS Porsche<br>P10<br>P10 Plus<br>Mate9 pro<br>Mate9 | Nova4<br>Nova2<br>Nova2 Plus<br>Nova2S |
| <b>Glory</b>   | Magic2<br>V30<br>V30 Pro<br>30<br>30 Pro<br>30S  | 20<br>20 Pro<br>V20<br>Note10<br>V10<br>10  | V9<br>9<br>V8<br>8                     |
| <div> <div> <b>Xiaomi</b><br/>(9V/2A fast charge)         </div> <div>           9, 8, 8 Youth Edition, 6X, 5, Mix2S         </div> </div> |  |   |  |

Note: The device is continuously updated.....

# Durable in Swapping

One-piece interface, fit with phone case

**3000+** times  
USB connector swapping test

**10000+** times  
USB-C connector swapping test

Note: All data are from Vention Lab.



# Aluminum Alloy Shell

The interface is oxidation resistant and rustless



# Reinforce Protective

Refuse to change cables frequently

Note: All data are from Vention Lab.



**13<sub>mm</sub>**  
Tail lengthening

**3000+** times  
Bending test



# Product Parameters

Brand: Vention

Name: 5A USB-C Data Cable

Model: COF

Color: Gray

Interface: USB2.0 Male, USB-C Male

Interface Technics: Nickel-plated

Transmission Speed: 480Mbps

Conductor: Tinned Copper

Shell: Aluminum Alloy

Shielding: Aluminum Foil

Jacket: TPE + Nylon Braided

AWG: 0.25-1m: 21+28AWG; 1.5-2m: 18+28AWG; 3m: 20+28AWG

OD: 4.2mm

Length: 0.25/0.5/1/1.5/2/3m

Power Supply: 5A (Max)

Warranty: 1 Year

Packing: PE Bag



Note: All data are from Vention Lab.  
Sizes above are manually measured. There might be slight tolerance.





Note: Packing difference exists for different meters or batches.  
The photo is for reference only.

---

| Length | Art.No. | EAN Code      |
|--------|---------|---------------|
| 0.25m  | COFHC   | 6922794747128 |
| 0.5m   | COFHD   | 6922794747135 |
| 1m     | COFHF   | 6922794747142 |
| 1.5m   | COFHG   | 6922794747159 |
| 2m     | COFHH   | 6922794747166 |
| 3m     | COFHI   | 6922794747173 |
|        |         |               |
|        |         |               |
|        |         |               |



Package Contents

USB-C to USB 2.0-A Fast Charging Cable

Packaging Information

|                   |   |
|-------------------|---|
| Packing Dimension | cm  |
| Packing Weight    | kg  |
| Carton Dimension  | 48*29*30cm  |
| Carton Qty        | 500pcs(0.25m), 360pcs(0.5m),300pcs(1m),260pcs(1.5m),220pcs(2m),120pcs(3m) |
| Carton Weight     | 16.38kgs(1.5m)  |
| Package           | PE Bag  |

[www.ventioncable.com](http://www.ventioncable.com)