



Micro-B/USB-C 2-in-1 Cable

Business/travelling convenient

Two Interfaces Available

Support Micro-B/USB-C interface devices



Micro-B interface

Applicable for android
phone, tablet,
mobile HDD, desk fan

No signal

AC



USB-C interface

Applicable for Huawei,
Xiaomi, Samsung, etc.,
laptop and tablet



Less Charging Time

Micro-B interface support
2A high current
USB-C interface support
3A high current




USB-C interface

113 min
Full of Huawei P40

3800mAH
capacity


Micro-B interface

Around 120 min
Full of Xiaomi Play

3000mAH
capacity

Support Various Charging Protocols

Support Samsung, Xiaomi, Qualcomm, etc., charging protocols


100 min
Full of Xiaomi 10 Pro

4500 mAh
capacity



Safeguard Your Battery

Thickened tinned-copper conductor with multiple shielding technologies for battery protection



	USB-C interface (phone/tablet)	Micro USB interface (phone)
Huawei	nova 7,nova 7 SE, nove 7 Pro, Mate 30, Mate 30 Pro, nova 6, nove 6 Pro, nova 5	nova 3i, nova lite, Manmao 6, Mate8, Enjoy 9,9 Plus, MAX, 8,8 Plus, 8e lite, 8e
	MediaPad M5	
Honour	30、30 Pro、V30、 V30 Pro、V20	8X, 9I, 9 Lite, 8 Lite, V9 Play, 7I, Holloy 8C, 7X, 7C, 7, 7A, 6X, 6A, 6, 5X, 5A, 5, 5C
Xiaomi	10 Pro, 10, 9 Pro, 9, 9 SE, 8, 8 Lite, 8 SE, Redmi K30 Pro, Redmi K30, Redmi Note 7	Play、4、米6、6 Pro、 6A、Note 5、Note 5A、 5、5A、5 plus、Note 4、 Note 4X
	MI PAD 4	
Samsung	S10、S10+、S10e、 A9s、A9 Star、A6s、 A8s、S9、S9+、Note9	S6、A7
Meizu	17th、16th、16th Plus、 X8、16X	V8, NOTE8, ML NOTE6, 6, S6, NOTE5, 5, 6T, A5, 5s, NOTE3, MAX, U20, U10, E2
Smartisan	Pro 2S、R1	

Note: this list will be continuously updated

Anti-breakage and Durable

Reinforced tail, more resilient than ordinary cable



Anti-stretch Material

TPE material cable connection
avoid detachment of two interfaces





Multiple Length

Cater to different needs

0.5m

Short and portable
for mobile charging



1m

Longer distance for daily
and office charging



Product Parameters

Brand: Vention

Name: USB 2.0 A Male to Micro-B&C Male Cable

Model: CQEH

Color: Gray

Interface: USB 2.0 A Male/ USB 2.0 Micro-B Male/USB 2.0 C Male

Interface Technics: Nickel-plated

Transmission Rate: 480Mbps

Conductor: Tinned-copper

Shell: Aluminum Alloy

Shielding: Aluminum Foil+GND

Jacket: TPE+Nylon Braided

AWG: 22+30AWG

OD: 3.4mm

Length: 0.5/1m

Rated Current: Micro USB: 2A; USB-C: 3A(MAX)

Warranty: 1 Year

Packing: PE Bag



Note: All data are from Vention Lab.

Sizes above are manually measured. There might be slight tolerance

