



VENTION®






Magnetic ring instructions

	Length	Wire gauge	Wire diameter	Strengthen the configuration
PVC section	1-3m	31AWG	8.6mm	Single magnetic ring
	5m	31AWG	8.6mm	Double magnetic ring
	8-10m	28AWG+31AWG	8.6mm	Double magnetic ring
	15m	26AWG+30AWG	9mm	Double magnetic ring
	20-30m	30AWG+28AWG	10mm	Double magnetic ring and signal amplifier
Alloy models	1m-3m	30AWG+28AWG	8.0mm	—
	5m-8m	28AWG+28AWG	8.0mm	—
	10m	28AWG+26AWG	8.5mm	—

* These data are result from Vention laboratory

Great Material

Resist electromagnetic interference effectively
farewell splash, ghosting, ripple



For A Variety of Devices

Connecting an output device with a DVI connector to a display device

Output
device



compute



Video card



Blu-ray
machine

display
screen



monitor





projector



TV




Two Specifications



Work More Efficiently

Notebook connect projector, enjoy large HD screen
work more efficiently



Enjoy 2K Digital HD


Big game is more realistic



Product Parameters


Brand: Vention
Name: DVI 24+1 wire
Model: EAD/EAA
Appearance Color: Black
Interface Type: DVI 24+1 Male
Interface Process: Gold plated
Conductor: High purity copper

Jacket Material: PVC+Cotton net/PVC
Cable Shielding: Aluminum foil+metal braided
Cable Length: 1m-30m
Product Warranty: One year
Package: PE bag (Below 5m)
Hardcover box (Above 8m) (EAA)
Color box+ Hardcover box(EAD)



* The above dimensions are manual measurement, may have slight deviation

Reinforced SR Does Not Break





Upgrade Alloy Connector

Stronger shield, more durable

Cotton Net Protection

Soft line body, durable



Enjoy 2K Digital HD

Big game is more realistic

