

Three-Port USB Wall Charger

Charge 3 Devices Simultaneously



**5V/3.4A
total output**

**5V/2.4A
single port
output**

**Multi-
protection
for safety**

**Authority
certification**

3.4A Total Output

Charge 3 devices simultaneously
save more time

17W Max

Three ports
simultaneous
output



Support Apple 5V/2.4A

Fast charging and less waiting

Around 2 Hrs
Full of iPhone Xs Max

Note: all data are from Vention Lab




Wide Compatibility

Support Apple, Huawei, Xiaomi, OPPO, vivo and other brands of phone, tablet and other USB interface devices



Intelligent Control and Adjustment

With internal power management chip, intelligently
match related current for safer charging



Six Major Protections

Safe charging environment and
filter all kinds of danger

Over-charge
protection

Over-power
protection

Over-voltage
protection

Over-current
protection

Short circuit
protection

Thunder
protection



Premium Shell Material

Premium PC fire retardant shell for high efficiency fire retardance and high temperature durability



Fire
retardance



Anti-
pressure



High
temperature
durability




Travelling Convenience

One charger for three devices,
lower your travelling burden



Safe Charging Environment

Multiple protection along with fire retardant material, ensures a trouble-free charging environment



Vention
chargers



Inferior quality
charger

Product Parameters

Brand	Vention
Name	3-port USB Wall Charger
Model	FEAB0-UK
Standard	Standard UK
Color	Black
Interface	USB-A Female
Interface Technics	Nickel-plated
Output Current	5V \Rightarrow 2.4A
3-port Simultaneous Output	5V \Rightarrow 3.4A Max
Protocol	Apple 2.4A/BC 1.2
Shell	PC Fire Retardance Material
Certification	UKCA/RoHS 2.0
Fire Rating	UL94 V-0
Warranty	1 Year
Packing	Color Box



Package Display



Note: Packing difference exists for different meters or batches.
The photo is for reference only



VENTION

USB 1

USB 2

USB 3

WALL CHARGER
Model: FEABD SKU: FEABD-UK
Input: 100-240V-50/60Hz 800mA
Output (USB 1): 5V \pm 2.4A
Output (USB 2): 5V \pm 2.4A
Output (USB 3): 5V \pm 2.4A
Total output: 6V \pm 3.6A
CE RoHS
Made in China







