VENTION®

Universal Travel Adapter

AC + USB, 2 in 1

65W GaN

Fast Charge Laptops



VENTION

65W GaN

Universal Travel Adapter

Experience the ultimate convenience with just one charger.



Top 5 Reasons to Recommend



High-tech innovation

Powered by GaN Tech

GaN (Gallium Nitride) is a high-performance semiconductor known for its small size, lightweight, low heat generation, and high efficiency.





Fast Charge Laptops

USB-C1/C2 single-port outputs reach 65W and support fast charging for high-power devices like laptops, enhancing work efficiency.

Cutting-edge technology

Charge 4 Devices Simultaneously




Smart multi-port charging

All-new Charging Safe Solution

Powered by GaN technology, adjusting the output power according to different devices.






Global adapter


Work in 200+ Countries and Regions

Experience seamless charging worldwide with our versatile solutions.



Addressing all Your Charging Requirements

The adapter is compatible with most countries worldwide.



Unlock botton

Easy Conversion with One Click

Press first and push after, effortlessly adjusting the plug type.



Built-in dual fuse

Empower Your Journey with Safety

Guarding the safety of your journey it features automatic power-off in case of overload.



Compact and portable

All in One Travel Adapter

Embark on your journey with ease and worry-free charging.



Specifications

Brand	Vention
Name	65W GaN Universal Travel Adapter
Model	FJD
Color	Black
Interface	USB-A/USB-C * 2
Single Port Output	USB-C1/C2: 3.3V~11V-3A, 5V-3A, 9V-3A
	12V-3A, 15V-3A, 20V-3.25A (65W Max)
	USB-A: 4.5V-5A, 5V-4.5A, 9V-3A, 12V-2.5A
	20V1.5A (30W Max)
Multi-port Output	USB-C1 + USB-C 2: 45W + 20W
	USB-C1 + USB-A: 45W + 18W
	USB-C2 + USB-A : 5V-3A
	USB-C1 + USB-C1 + USB-A: 45W + 5V-3A
Total Output	65W Max
Fuse Rating	8A MAX
Rated Power	1840W at 230V~880W at 110V~
Compatible protocol	s USB-C1/C2: PPS/PD 3.0/QC 3.0/Apple 2.4A/AFC
	FCP/BC 1.2
	USB-A: QC 3.0/Apple 2.4A/BC 1.2/AFC/FCP/SCP
Shell	PC
Fire Rating	UL94-V0
Packing	Color Box





52.6mm

77.8 mm

54.7 mm

Note: All data are from Vention Lab. Sizes above are manually measured. There might be slight tolerance.

Packaging Display



Note: Packing difference exists for different meters or batches.

The photo is for reference only.