



DP Cable





DP1.4 Future Oriented

DP 1.4 is backward compatible with DP 1.2 and DP 1.1

Version	1.4	1.2
Bandwidth	32.4Gbps	21.6Gbps
Refresh rate	1080P@240Hz 2K@165Hz 4K@144Hz 8K@60Hz	1080P@240Hz 2K@144Hz 4K@60Hz
Audio quality	32 bit/1536kHz	8 bit/192kHz
Dynamic HDR	✓	×
Multiple screen display	✓	√







240Hz High Refresh Rate

Support 1080P@240Hz, 2K@165Hz 4K@144Hz, 8K@60Hz refresh rate

240Hz refresh rate

60Hz refresh rate



Output 240 frames per second



Output 60 frames per second



Won't drop frames hit and kill the enemy



A few frames dropped the enemy get away




Won't drop frames, follow the enemy




A few frames dropped almost hit the enemy




Winner winner, chicken dinner



Note: all data are from Vention Lab





G-Sync&Free Sync Supported

Support various vertical synchronization technologies of G-Sync for Nvidia GPU and FreeSync for AMD GPU with no image tearing









Detail Witness Quality

For better using experience

01

Durable in swapping

Gold-plated interface for extra long service time

10000+swapping test

Note: all data are from Vention Lab



02

No ghosting and splash

Aluminum foil+GND+metal braid multiple shieldings

Note: the internal structure is a rendering, please refer to the actual product



03


No clip design

New upgrade no clip design for esay operation



Easily Running Multiple games

For online and 3A games



More games







Call of Duty



Forza Horizon 5




Note: Demo games meet the above resolution and refresh rate requirements

Multi-purpose Applications

Support dual screen mirror mode

Sync image with another display share image to more or larger screen



Support dual screen extend mode

Extend your working desktop with split screen presentation



Support multi split-screen mode

ATI eyefinity multi split-screen technology experience widescreen cinema 3D effect



Note: Computer graphics card needs to support multi split-screen

Product Parameters

Brand	Vention	
Name	DP Male to Male Cable	
Model	HCE	
Color	Blue	
Interface	DP1.4 Male	
Interface Technics	Gold-plated	
Resolution	1080P@240Hz/2K@165Hz/4K@144Hz	
	8K@60Hz	
Bandwidth	32.4Gbps	
Conductor Material	Silver Ion Plating Conductor	
Shell	Aluminum Alloy	
Shieldings	Aluminum Foil+GND+Metal Braided	
Jacket	PVC+Cotton Braid	
AWG	30AWG	
OD	6.3±0.2mm	
Length	1–5m	
Warranty	1 Year	
Packing	Color Box	



Note: All data are from Vention Lab. Sizes above are manually measured. There might be slight tolerance

Package Display



Note: Packing difference exists for different meters or batches.

The photo is for reference only

Art.No.	EAN Code
HCELF	6922794765283
HCELG	6922794765290
HCELH	6922794765306
HCELI	6922794765313
HCELJ	6922794765320
	HCELF HCELG HCELH HCELI



Package Contents

DP Cable x 1

Packaging Information		
Packing Dimension	cm	
Packing Weight	kg	
Carton Dimension	48*40*40cm(1-5m)	
Carton Qty	64pcs(1m),40pcs(1.5-2m),17pcs(3-5m)	www.ventioncable.com
Carton Weight	7.8kg(1m)	
Package	Color box	