

# HUAWEIIdeaHub B3 New Style Smart Office

BYOM | AI-powered communication | Smart office collaboration






# **HUAWEIIdeaHub B3**

IdeaHub B3 supports a vast array of features, including 1080p HD cloud meeting, Bring Your Own Meeting (BYOM), Wi-Fi 6 for direct projection, and 16 ms writing latency – serving as

the versatile conferencing and display endpoint for today's modern office.



Notes: Data source:national procurement information website





8-core dual-engine drive



4K soft light screen with optical anti-blue light



Streamlined body, slimmed down bezels



Rich ports for flexible expansion



'UV Rheinland Low Blue Light (Hardware Solution) Certification

UV Rheinland Eye Comfort Certification

Notes:\* Productpictures and display content in this documentare for reference only. Actual product specifications and display content (including but not limited to backgrounds, interfaces, and illustrations) may vary.



# **BYOM**

TransferavideomeetingfromyourPCtoenjoyimmersivemulti-sensorymeetings, made possible by IdeaHub's camera, mic, and speaker systems.

- No apps or OPS
- · Brainstorm with colleagues across the globe at any time without having to download any other apps.
- Supports mainstream cloud meeting apps, like Webex, Zoom, etc.
  - Supports BYOM via the Type-C cable,
- IdeaShare app, or IdeaShare Key (Type-C).

# **Native HDCloud Meeting**



**OPS-free 1080p cloud meeting** 1080p native Huawei Cloud Meeting



# **AI-powered Communication**

#### **Auto-Framing**

Golden ratio layout and distortion corrections are supported.

#### Speaker tracking

Intelligent sound source localization, keeping the speaker in the center position.

#### **Two-person conversation**

Two speakers are displayed at the same time.



#### Professional-grade 4K camera

Glass-plastic hybridlensbuilt to withstand high temperatures Silkysmooth video over the long haul



#### Acoustic engine 2.0

Immersive 3D surround sound field Conference audio as vou've never heard it



DNN-based de-reverberation. 10 m sound pickup Sound clear from far away

# **Smart Office Collaboration**

# **Smoother and SmarterHandwriting**



#### 16 ms ultra-low writing latency

Writing on a digital screen has never been so smooth, thanks to a cutting-edge AI handwriting prediction algorithm



#### Feels so write

Switch colors, line thickness and more as you doodle away on screen



#### **Image insertion**

Add screenshots to the whiteboard with just a tap in Multi-Window mode2



#### Handwriting recognition

Convert your handwriting and sketches into digital forms1



#### Collaborative creation

Write on the whiteboard along with a colleague



#### **Content saving**

Scan the QR code to save whiteboard content right away3

Notes: 1. The intelligent writing recognitionfunction supports recognition of Chinese, English, and 11 types of graphics

- 2. In Multi-Window mode you cantap Annotation on the tool bar and insert screenshots on the whiteboard.
- 3. Content saving is supported on a number of different platforms, including WeChat, Huawei Cloud Meeting, WeLink, and web browsers

# **Wireless Projection**

## Wi-Fi 6for direct projection, no networkconnectionneeded

Networknotavailable?Passwordgivingyoupain?JustenableWi-FionyourIdeaHub andPC/mobilephone,andtheIdeaShareappwillautomaticallyinitiatea4Kprojection, thanks to the innovative Wi-Fi direct projection technology.

## Tailored projection solutions for every conceivable scenario\*



#### Daily office work

IdeaShare app, which auto-populates the projection code once you enter the first letter1



#### **Client communications**

IdeaShare Key(Type-C), with no network connection or installation required2



#### Seamless HarmonyOS support

Wirelessprojection from the drop-down menu or via NFC on a Huaweiphone or tablet



#### **Important occasions**

Ultra-smooth HD image, with Type-C cable projection

Notes: 1. The IdeaShare app supports auto-population of projection code inHarmonyOS,Android, and Windows.

2.The Type-C port adapts toHarmonyOS,Android, iOS, Windows, and macOS.

"You can reversely control your personal deviceonthe IdeaHub after projection via Type-C/HDMI cable, IdeaShare Key, or the IdeaShare app. Hardware capabilities or themobilephoneor PCmay vary, and the actual experience shall prevail.

# Multi-Window for Efficient Multitasking



# Adjustable window ratio for a flexible layout Three aspect ratios (1:1, 1:2, and 2:1) are supported.



# **App Multiplier: Massive Apps to FitYour Needs**





# **Security O&M**

# Comprehensive, intelligent O&M

The IdeaManager device management platformremotely manages and controls multiple IdeaHubs



#### Remote management

Remote setting of the shutdown time in **battlebs**s Remote OTA update in batches



#### Quick fault rectification

Inspection and fault alarm
Self-service diagnosis of typical faults



Device usage

Startup animation and bulletin board pu**sishig**c



# **Enterprise-level information security**

CC EAL5+ high-level security certification for global commercial systems



#### Access control

Controllable interface permissions Refined permission granularity




#### Security control

Separate storage of sensitive data Randomized distribution of kernel address space



#### **Operation audit**

Traceable access records



# Application Scenarios



#### Regular meeting room

Local workshop, remote meeting, and executive meeting
HD cloud meeting | Dual Wi-Fi projection |
Bidirectional collaboration

#### Open area

Regular meeting, instant discussion, and team-building meeting
Ultra-lowwriting latency| Multi-gesture erasure |
QR code scanning for content takeaway

#### **Executive office**

Business reporting, remote interview, and daily office

**Exhibition and demonstration** 

Corporate culture display, welcomeboard, and activity promotions 4K display | HiBoard | Bulletin board

#### **Technical Specifications**



#### Product name IdeaHub B3

#### Product dimensions (H x W x D)

65": 916.1 mm x 1484.5 mm x 91.6 mm 5": 1040.5 mm x 1705.7 mm x 91.8 mm 86": 1180.6 mm x 1953.0 mm x 91.8 mm

#### Model

65": IHB3-65SA 75": IHB3-75SA 86": IHB3-86SA

Package dimensions (H x W x D) Netweight/Gross weight 65": 1050 mm x 1650 mm x 220 mm 65": 35.5 kg/43.0 kg

	50 . 1100.0 mm x 1933.0	711111 X 71.0 111111		x 1900 mm x 220 mm x 2090 mm x 250 mm	75": 47.8 kg/57.8 kg 86": 63.0 kg/74.5 kg
		Note: The dimension	ns and weightmay vary	with configuration, manufacturing p	rocess, andmeasurementmethod.
Component					
Device	Stylus pen	Cable		OPS	
1	2	1 x power cable		Optional	
IdeaShare Key	Rolling stand	Wall-mounted b	racket		
Optional (Type-C/Type-Aport)	Optional (65", 75", and 86")	Optional (65", 75	", and 86")		
Screen					
Resolut ion	Backlight type	Screen lamination	on	Color gamut	
4K	D-LED	Zero-gap bonding	g	85% NTSC	
Camera					
Zoom	Max. angle of view	Resolution		TV distortion	Intelligent tracking
2x digital zoom	Pan: 80°/Tilt: 50°	4K		< 2%	Supported
Speaker					
Frequency domain	Quantity	Maximum power	r		
100 Hz to 20 kHz	4	30 W			
Microphone					
Sound pickup angle	Quantity	Sound pickup di	stance		
180° Wireless connection	6	10 m			
Wireless Connection					
Wi-Fi 6	Frequency	NFC			
supported	2.4 GHz + 5 GHz	Supported			
System					
CPU	RAM	Flash		os	Language
8 cores	8 GB	64 GB*		HarmonyOS and Windows (OPS required)	Chinese, English, French, Japanese, Spanish, Russian, Portuguese, and Italian
	Note:* 1	The available storage wil	l be less thanthe stated	I value as pre-installed softwaretak	esupacertainamountofspace.
Meeting					
Supported meeting apps		Meeting perform	ance	ВУОМ	
Native meeting apps: Huawei Clo	Native meeting: 10	080p@30 fps video	Supported		
Writing					

2 x USB 3.0

1 x USB 3.0

2 x HDMI IN

Supported meeting apps		Meeting performance	ВУОМ
Native meeting apps: Huawei Cloud Meeting SmartRooms		Native meeting: 1080p@30 fps video	Supported
Writing			
Writing latency	Whiteboard saving mode	Intelligent writing recognition	Touch sensing distance
16 ms	QR code scanning/Email/Local storage/USB flash drive	Supported	1.5 mm
Port			
Front-panel ports	Side-panel ports		
1 v Type-C			

1 x COM port

1 x 3.5 mm Line-out

1 x 3.5 mm Line-in

1 x RJ45

(10/100/1000 Mbit/s LAN)