


Cat.8

Split-type

FTP RJ45 Modular Plug

Dovetail clip design



High-speed
network

Durable
anti-rust


Shielded
anti-interference

Smoother
game

Dovetail Clip Design

Make the cable firm and not loose to ensure stable signal transmission

Dovetail clip design




Oversized Wire Hole Easy Wiring

Transparent brackets make it easy to see the wire sequence and ensure accurate wiring

Single wire hole
 $\Phi 1.5\text{mm}$

Easy
wiring


Transparent
bracket



Full Contact Transmission Fast


Three-pronged chip, the contacts are tightly combined with the core

Note: Applicable to solid wire and strand wire



Gold-plated Contacts Do Not Rust

Thick gold-plated terminals, the network speed is still stable for a long time



Metal Shielding Anti-interference

Metal shielded shell for more
stable transmission

Gold-plated copper shell



Farewell to Delay / Stuck / Drop

40Gbps high-speed transmission rate



Smoother
game



Stable
streaming



Faster
download



High-quality PC Material

Corrosion resistant and tough

New PC material




Shielded Body+Wire Bracket

Easy wiring


Wire bracket

Cat.8 shielded body



Applicable Equipments

Widely compatible with RJ45 network cable interface equipments



Connection

Connection standard



Orange



Orange
+White



Green



Green
+White



Blue



Blue
+White




Brown




Brown
+White

T568A




T568B



Connection Method


1 Straight-through Cable




Suitable For



2 Crossover Cable



Suitable For



Product Parameters

Brand: Vention

Body Technics: PC

Name: Cat.8 FTP RJ45 Modular Plug

Shield Shell: Gold-plated Copper Shell

Model: IDH


Warranty: 1 Year

Color: Golden+Transparent

Packing: PE Bag

Interface: RJ45

Connector Chips Technics: Three-pronged Gold-plated 50U Chip






PE bag (2 pieces)



PE bag (10 pieces)

Note: Packing difference exists for different meters or batches
The photo is for reference only

VENTION®



VENTION®

