



Steady Gigabit Connection

Cat6 Unshielded Keystone Jack



Stable
Connection

Long-
lasting

Easy
Installation

Wide
Compatibility

Gigabit Accelerator

Equipped with Cat6 Ethernet cables to achieve stable gigabit transmission.




Superior Quality Lasting Durability

Robust ABS + PC shell ensures impact resistance, fireproofing, and high-temperature resilience for constant safety and stability in network equipment.




Stable Link

IDC terminal adopts high-hardness phosphor bronze.



Stable Transmission

Phosphor Bronze Gold-Plated Pin




Phosphor Bronze
Gold-Plated Pin

Plug and Unplug

> 1000 Times


Dustproof & Moisture-proof

Ensures a firm and secure connection, durable and long-lasting.



Secure Termination Options

It includes a color-coded wiring diagram for both T568A and T568B terminations.



T568A



T568B



Match with Wall Plate

Perfectly compatible with the Vention wall plate and
also suitable for use with 86 panels.



Wide Application



Enterprise Network Cabling



Classroom Network Cabling



Home Cabling




PoE Cabling



Cybercafe Cabling

Specifications

Brand	Vention
Name	Cat6 Unshielded Keystone Jack
Model	IRH
Color	White
Interface	RJ45
Electroplating Process	Gold-Plated
Shell	ABS + PC
Wire Terminations	≥ 250
Insertions and Removals Lifespan	≥ 1000 times
Wire Gauge	22~26AWG
Compatible Wiring Standards	T568A/T568B
Operating Temperature	-20 °C ~ + 60 °C
Packing	PE Bag





Note: All data are from Vention Lab.
Sizes above are manually measured. There might be slight tolerance.

Packaging Display



VENTION®





VENTION®

Cat6 Unshielded Keystone Jack

1000Mbps

Stable
Connection

