




Upgraded Cat.5/ Cat.6 Crimping Tool

Stripping/Cutting/Crimping 3-in-1

Three Functions in One



Stripping

With high-strength hardened blade,
not easy to damage the internal cable core



Cutting

With high-strength hardened blade,
easy to cut out the flat core



Crimping

Standard port size, reduce plug damage rate


1.02mm
Tooth pitch

5.89–6.15mm
Tooth depth



Features





Wide Range of Applications

Suitable for Cat.5e / Cat.6
shielded and unshielded plug

**8P8C
network plug**



Commonly used in
computers / routers
/ TV boxes / TVs
and other
equipments

**6P2C / 4C / 6C
phone plug**



Commonly used in
telephone / voice
splitter / telephone
keystone patch
panel and other
equipments

**4P4C
phone plug**





Commonly used for
port phones and
other devices such
as landlines
connecting to
handset

Connection


Connection standard

Use a network cable plier to peel off the sheath of the network cable, and you will see the following eight colored metal cables




Connection method


① Straight-through cable




Applicable connection occasions



② Crossover cable



Applicable connection occasions



Crimping Tutorial



Put the cable into the hemispherical stripping port to peel off the jacket of the network cable.



Confirm the 568A / B connection method and the order of the cable, bury the network cable flat, and reserve a suitable length (15mm is recommended).



Insert the network cable into the top of the RJ45 plug and put it into the corresponding jaw. Clamping network cable pliers is completed



Connect the finished network cable to the tester, 1-8 lights up in sequence to indicate normal use.

Product Parameters

Brand: Vention

Name: Multi-Function Cable Crimping Tool

Model: KEDB0


Color: Red+Black

Body Material: High Carbon Steel

Pressing Specifications: 4P / 6P / 8P

Warranty: 1 Year

Packing: Color Box



Note: All data are from Vention Lab.
Sizes above are manually measured. There might be slight tolerance.







Note: Packing difference exists for different meters or batches.
The photo is for reference only



VENTION®

