

# 30W GaN Fast Charger

Applicable to iPhone 8-14 series



GaN  
Tech

30W PD  
Quick Charging

Good Heat  
Dissipation

Downsized  
Design

Wide  
Compatibility

6 Color  
Options

# Powered by GaN Tech

By swapping out silicon for gallium nitride (GaN), we've reduced the size of our chargers without compromising power. Furthermore, it provides better low-temperature fast charging experience.



Weight




Size



Heat



Operating  
frequency



Note: The internal structure is a rendering, please refer to the actual product.

# Compact Design

Save space, travel light

## Portable

Efficiently save space,  
easy to carry




30W GaN Fast Charger  
(33×35.5×42.2)

# 30W PD Fast Charging

The 30W USB-C output provides enough power to charge your iPhone 8 series and later. It is backward compatible with 27W PD/20W PD.



# From Chargers to Charger





# Charge Safely

Intelligent temperature control technology protects charging safety and runs cooler without sacrificing a drop of power.



Note: The internal structure is a rendering, please refer to the actual product.

# Worry-Free Smart Charging

It slows as the battery nears full charge, and designed to be left connected long-term without overcharging.



When the battery is very dead

Fast charging mode



As the battery nears 80%

Smart trickle charging mode to avoid overcharging the battery



# Superior Safety

Built-in intelligent chip and multi-protect safety system provide total protection for you and your devices.



Temperature protection



Over power protection



Over-voltage protection



Over current protection



Short circuit protection



Lightning protection





# Multi-Protocol Compatibility

Compatible with most of the fast charging protocols such as PPS/PD 3.0/QC 4+/FCP/AFC/BC 1.2/Apple 2.4A, etc.



# 6 Color Options

Fresh color to match your Apple series.



# Product Parameters


Brand	Vention
Name	30W GaN Fast Charger
Model	FAK
Color	White/Black/Green/Blue/Pink/Yellow
Interface	USB-C
Input	100-240V~50/60 Hz 800mA
Output	5V==3A/9V==3A/12V==2.5A 15V==2A/20V==1.5A
Protocols	PPS/PD 3.0/QC 4+/FCP AFC/BC 1.2/Apple 2.4A
Output Power	30W Max
Shell	PC
Warranty	1 Year
Packing	Color Box




Note: All data are from Vention Lab.  
Sizes above are manually measured. There might be slight tolerance.















# Packing Display



Note: Packing difference exists for different meters or batches.  
The photo is for reference only.